

WEST Search History

DATE: Tuesday, November 21, 2006

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L1	murdin.in.	137
<input type="checkbox"/>	L2	L1 and chlamyd\$	110
<input type="checkbox"/>	L3	L2 and (pomp\$ or omp\$ or momp\$)	65
<input type="checkbox"/>	L4	L3 and (plasmid or vector or promoter).clm.	44
<input type="checkbox"/>	L5	l4 and (cmv\$ or cytomegalo\$ or cyto-megalo\$).ti,ab,clm.	14

END OF SEARCH HISTORY

[Generate Collection](#)[Print](#)**Search Results - Record(s) 1 through 14 of 14 returned.**

-
- ☐ 1. [20050069942](#). 01 Nov 04. 31 Mar 05. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 435/6; 435/252.3 435/320.1 435/69.3 530/350 536/23.7 C12Q001/68 C07H021/04 C07K014/295 C12N015/74.
-
- ☐ 2. [20050065106](#). 10 Sep 04. 24 Mar 05. Immunogenic compositions for protection against Chlamydial infection. Murdin, Andrew D., et al. 514/44; A61K048/00.
-
- ☐ 3. [20050002944](#). 29 Dec 03. 06 Jan 05. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/184.1; A61K039/00 A61K039/38.
-
- ☐ 4. [20040228874](#). 14 Jan 04. 18 Nov 04. Nucleic acid molecules encoding inclusion membrane protein C of Chlamydia. Murdin, Andrew D., et al. 424/190.1; 435/252.3 435/320.1 435/6 435/69.3 530/350 536/23.7 C12Q001/68 C07H021/04 A61K039/02.
-
- ☐ 5. [20040131630](#). 04 Nov 03. 08 Jul 04. Two-step immunization procedure against chlamydia infection. Brunham, Robert C., et al. 424/184.1; C12Q001/68 A61K039/00 A61K039/38.
-
- ☐ 6. [20040126382](#). 04 Nov 03. 01 Jul 04. Two-step immunization procedure against chlamydia infection. Brunham, Robert C., et al. 424/184.1; C12Q001/68 A61K039/00 A61K039/38.
-
- ☐ 7. [20020168382](#). 03 Dec 99. 14 Nov 02. TWO-STEP IMMUNIZATION PROCEDURE AGAINST CHLAMYDIA INFECTION. Brunham, Robert C., et al. 424/200.1; A61K039/02.
-
- ☐ 8. [7081245](#). 07 Jan 03; 25 Jul 06. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 424/263.1; 424/200.1 435/320.1 435/69.1 536/23.1 536/23.7. A61K39/118 20060101 C07H21/04 20060101 .
-
- ☐ 9. [7070792](#). 30 Jun 03; 04 Jul 06. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 424/263.1; 424/190.1 424/200.1 435/320.1 435/325 435/366 435/69.1 435/69.3 435/69.7 536/23.7 536/24.1. A61K39/118 20060101 .
-
- ☐ 10. [7026300](#). 04 Nov 03; 11 Apr 06. One step immunization procedure for inducing a Chlamydia specific immune response. Brunham; Robert C., et al. 514/44; 424/184.1 424/234.1 435/252.3 435/471 530/350 536/23.1 536/23.4 536/23.7. A61K48/00 20060101 .
-
- ☐ 11. [7019125](#). 31 Dec 02; 28 Mar 06. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 536/23.7; 435/252.3 435/254.11 435/320.1 435/69.3 530/350 536/23.1 536/23.4. A01N43/04 20060101 A61K31/70 20060101 C08B11/193 20060101 C12N1/20 20060101 C12N15/00 20060101 .
-
- ☐ 12. [6811783](#). 07 Sep 99; 02 Nov 04. Immunogenic compositions for protection against chlamydial infection. Murdin; Andrew D., et al. 424/190.1; 424/185.1 530/350 536/23.7. A61K039/02 A61K039/00 C07K001/00 C07H021/04 .
-
- ☐ 13. [6686339](#). 15 Jun 01; 03 Feb 04. Nucleic acid molecules encoding inclusion membrane protein C of Chlamydia. Murdin; Andrew D., et al. 514/44; 424/93.2 435/320.1 536/23.1 536/23.2 536/24.1.
-

A61K048/00 A61K035/66 C12N015/63 C07H021/04 .

☐ 14. 6676949. 03 Dec 99; 13 Jan 04. Two-step immunization procedure against Chlamydia infection. Brunham; Robert C., et al. 424/263.1; 424/200.1 424/93.1 435/252.1 435/320.1 435/325 435/419 435/455 435/468 435/471 435/7.36 530/350 536/23.2 536/23.5 536/23.7 536/24.1 536/24.31 800/278 800/295 800/298. C12N015/31 .

[Generate Collection](#) [Print](#)

Term	Documents
CMV\$	0
CMV	31122
CMVA	6
CMVAB	1
CMVACHE	3
CMVACHE-INJECTED	2
CMVACHE-TRANSFECTED	2
CMVACT	2
CMVADON	1
CMVAFT	2
CMVAGFT	1
(L4 AND (CMV\$ OR CYTOMEGALO\$ OR CYTO-MEGALO\$).TI,AB,CLM.).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	14

[There are more results than shown above. Click here to view the entire set.](#)

[Prev Page](#) [Next Page](#) [Go to Doc#](#)

20050069942. 01 Nov 04. 31 Mar 05. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 435/6; 435/252.3 435/320.1 435/69.3 530/350 536/23.7 C12Q001/68 C07H021/04 C07K014/295 C12N015/74.

☐ 2. 20050065106. 10 Sep 04. 24 Mar 05. Immunogenic compositions for protection against Chlamydial infection. Murdin, Andrew D., et al. 514/44; A61K048/00.

☐ 3. 20050002944. 29 Dec 03. 06 Jan 05. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/184.1; A61K039/00 A61K039/38.

☐ 4. 20040254130. 10 Apr 03. 16 Dec 04. Chlamydia antigens and corresponding dna fragments and uses thereof. Murdin, Andrew D., et al. 514/44; A61K048/00.

☐ 5. 20040228874. 14 Jan 04. 18 Nov 04. Nucleic acid molecules encoding inclusion membrane protein C of Chlamydia. Murdin, Andrew D., et al. 424/190.1; 435/252.3 435/320.1 435/6 435/69.3 530/350 536/23.7 C12Q001/68 C07H021/04 A61K039/02.

☐ 6. 20040131630. 04 Nov 03. 08 Jul 04. Two-step immunization procedure against chlamydia infection. Brunham, Robert C., et al. 424/184.1; C12Q001/68 A61K039/00 A61K039/38.

☐ 7. 20040126382. 04 Nov 03. 01 Jul 04. Two-step immunization procedure against chlamydia infection. Brunham, Robert C., et al. 424/184.1; C12Q001/68 A61K039/00 A61K039/38.

☐ 8. 20040086525. 30 Jun 03. 06 May 04. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/190.1; 435/252.3 435/320.1 435/69.3 530/350 536/23.7 C07H021/04 A61K039/02 C12N001/21 C07K014/295.

☐ 9. 20040022801. 28 Jan 03. 05 Feb 04. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/190.1; 435/252.3 435/320.1 435/6 435/69.7 530/350 536/23.7 A61K039/02 C12Q001/68 C07H021/04 C12P021/04 C12N001/21 C07K014/295.

☐ 10. 20030225017. 30 Dec 02. 04 Dec 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 514/44; 424/185.1 435/252.3 435/320.1 435/6 435/69.3 530/350 536/23.2 A61K048/00 C12Q001/68 C07H021/04 A61K039/00 C12N001/21 C12P021/02 C07K014/195.

☐ 11. 20030224004. 06 Feb 03. 04 Dec 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/184.1; A61K039/00 A61K039/38.

☐ 12. 20030206921. 07 Jan 03. 06 Nov 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/190.1; 435/252.3 435/320.1 435/6 435/69.3 530/350 530/388.4 536/23.7 C12Q001/68 C07H021/04 A61K039/02 C12N001/21 C07K014/295 C07K016/12.

☐ 13. 20030170259. 27 Oct 99. 11 Sep 03. CHLAMYDIA ANTIGENS AND CORRESPONDING DNA FRAGMENTS AND USES THEREOF. MURDIN, ANDREW D., et al. 424/190.1; A61K039/02.

☐ 14. 20030161833. 31 Dec 02. 28 Aug 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/184.1; 536/23.1 C07H021/02 C07H021/04 A61K039/00 A61K039/38.

☐ 15. 20030157124. 20 Dec 02. 21 Aug 03. Chlamydia antigens and corresponding DNA fragments

and uses thereof. Murdin, Andrew D., et al. 424/190.1; 435/252.3 435/320.1 435/69.3 530/350 536/23.7 A61K039/02 C07H021/04 C07K014/295 C12P021/02 C12N001/21 C12N015/74.

☐ 16. 20030157123. 17 Dec 02. 21 Aug 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/190.1; 435/252.3 435/320.1 435/69.3 514/44 530/350 536/23.7 A61K048/00 C07H021/04 A61K039/02 C12P021/02 C12N001/21 C07K014/295.

☐ 17. 20030147924. 26 Jul 99. 07 Aug 03. CHLAMYDIA ANTIGENS AND CORRESPONDING DNA FRAGMENTS AND USES THEREOF. MURDIN, ANDREW D., et al. 424/263.1; 435/252.3 435/320.1 435/69.3 530/350 536/23.7 A61K039/118 C07H021/04 C12P021/02 C12N001/21 C07K014/295 C12N015/74.

☐ 18. 20030100706. 03 Apr 01. 29 May 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 530/350; 424/190.1 536/23.7 A61K039/02 A61K048/00 C07H021/04 C07K014/195.

☐ 19. 20030095973. 03 May 00. 22 May 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/184.1; A61K039/40 A61K039/00 A61K039/38.

☐ 20. 20020168382. 03 Dec 99. 14 Nov 02. TWO-STEP IMMUNIZATION PROCEDURE AGAINST CHLAMYDIA INFECTION. Brunham, Robert C., et al. 424/200.1; A61K039/02.

☐ 21. 20020150591. 26 Jul 99. 17 Oct 02. CHLAMYDIA ANTIGENS AND CORRESPONDING DNA FRAGMENTS AND USES THEREOF. MURDIN, ANDREW D., et al. 424/190.1; A61K039/02.

☐ 22. 20020132994. 03 Apr 01. 19 Sep 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 536/23.1; C07H021/02 C07H021/04 A61K048/00.

☐ 23. 20020123067. 22 Dec 00. 05 Sep 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 435/7.1; 424/184.1 530/350 G01N033/53 A61K039/00 A61K039/38 C07K001/00 C07K014/00 C07K017/00.

☐ 24. 20020102270. 08 Feb 01. 01 Aug 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/190.1; 435/183 435/252.3 435/320.1 435/69.3 514/44 536/23.7 A61K048/00 C07H021/04 C12N009/00 A61K039/02 C12N001/21 C12P021/02.

☐ 25. 20020099188. 22 Dec 00. 25 Jul 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 536/23.1; C07H021/02 C07H021/04.

☐ 26. 20020094965. 03 Apr 01. 18 Jul 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 514/44; 536/23.2 536/23.5 A61K048/00 C07H021/04.

☐ 27. 20020094340. 01 Dec 99. 18 Jul 02. CHLAMYDIA ANTIGENS AND CORRESPONDING DNA THEREOF. MURDIN, ANDREW D., et al. 424/263.1; A61K039/118.

☐ 28. 20020091096. 13 Jul 01. 11 Jul 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 514/44; 435/252.3 435/320.1 435/6 435/69.1 435/91.2 536/23.7 A61K048/00 C12Q001/68 C07H021/04 C12P021/02 C12N001/21.

☐ 29. 20020082402. 03 Apr 01. 27 Jun 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 536/23.1; 424/184.1 530/350 C07H021/02 C07H021/04

A61K039/00 A61K039/38 C07K001/00 C07K014/00 C07K017/00.

☐ 30. 20020081682. 28 Jun 01. 27 Jun 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 435/183; 424/263.1 435/252.3 435/320.1 435/69.3 536/23.7 C12N009/00 C07H021/04 A61K039/118 C12N001/21 C12P021/02 C12N015/74.

☐ 31. 20020071831. 03 Apr 01. 13 Jun 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/93.21; 424/185.1 435/183 435/320.1 435/325 435/69.1 514/44 536/23.2 A61K048/00 C07H021/04 C12P021/02 C12N005/06 C12N009/00.

☐ 32. 20020037293. 22 Jun 01. 28 Mar 02. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin, Andrew D., et al. 424/190.1; 424/263.1 435/252.3 435/320.1 435/69.3 536/23.7 A61K039/118 C07H021/04 C12N001/21 C12P021/02 C12N015/74.

☐ 33. 7081245. 07 Jan 03; 25 Jul 06. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 424/263.1; 424/200.1 435/320.1 435/69.1 536/23.1 536/23.7. A61K39/118 20060101 C07H21/04 20060101 .

☐ 34. 7070792. 30 Jun 03; 04 Jul 06. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 424/263.1; 424/190.1 424/200.1 435/320.1 435/325 435/366 435/69.1 435/69.3 435/69.7 536/23.7 536/24.1. A61K39/118 20060101 .

☐ 35. 7026300. 04 Nov 03; 11 Apr 06. One step immunization procedure for inducing a Chlamydia specific immune response. Brunham; Robert C., et al. 514/44; 424/184.1 424/234.1 435/252.3 435/471 530/350 536/23.1 536/23.4 536/23.7. A61K48/00 20060101 .

☐ 36. 7019125. 31 Dec 02; 28 Mar 06. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 536/23.7; 435/252.3 435/254.11 435/320.1 435/69.3 530/350 536/23.1 536/23.4. A01N43/04 20060101 A61K31/70 20060101 C08B11/193 20060101 C12N1/20 20060101 C12N15/00 20060101 .

☐ 37. 6872814. 27 Oct 99; 29 Mar 05. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 536/23.7; 424/184.1 424/234.1 424/263.1 435/252.3 435/320.1 435/69.3 435/71.1 435/71.2 536/23.1 536/23.4. C07H021/04 C12N015/00 C12N059/09 A61K039/118 A61K039/02 .

☐ 38. 6811783. 07 Sep 99; 02 Nov 04. Immunogenic compositions for protection against chlamydial infection. Murdin; Andrew D., et al. 424/190.1; 424/185.1 530/350 536/23.7. A61K039/02 A61K039/00 C07K001/00 C07H021/04 .

☐ 39. 6808713. 16 Oct 01; 26 Oct 04. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 424/263.1; 424/178.1 424/184.1 424/190.1 424/200.1 435/252.3 435/254.11 435/320.1 435/69.1 435/69.3 435/70.1 530/350 536/23.1 536/23.7. A61K039/118 A61K039/02 C12N001/20 C12P021/04 C07H021/04 .

☐ 40. 6693087. 20 Aug 99; 17 Feb 04. Nucleic acid molecules encoding POMP91A protein of Chlamydia. Murdin; Andrew D., et al. 514/44; 424/130.1 536/23.4. A61K039/395 A61K031/70 C07H021/04 .

☐ 41. 6686339. 15 Jun 01; 03 Feb 04. Nucleic acid molecules encoding inclusion membrane protein C of Chlamydia. Murdin; Andrew D., et al. 514/44; 424/93.2 435/320.1 536/23.1 536/23.2 536/24.1.

A61K048/00 A61K035/66 C12N015/63 C07H021/04 .

☐ 42. 6676949. 03 Dec 99; 13 Jan 04. Two-step immunization procedure against Chlamydia infection. Brunham; Robert C., et al. 424/263.1; 424/200.1 424/93.1 435/252.1 435/320.1 435/325 435/419 435/455 435/468 435/471 435/7.36 530/350 536/23.2 536/23.5 536/23.7 536/24.1 536/24.31 800/278 800/295 800/298. C12N015/31 .

☐ 43. 6649370. 26 Oct 99; 18 Nov 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 435/69.1; 435/252.3 435/320.1 435/325 536/23.7. C12P021/06 C12N001/20 C12N015/00 C12N005/00 C07H021/04 .

☐ 44. 6642025. 13 Jul 01; 04 Nov 03. Chlamydia antigens and corresponding DNA fragments and uses thereof. Murdin; Andrew D., et al. 435/69.1; 435/320.1 435/69.3 435/69.7 435/69.8 435/71.1 435/71.2 536/23.1 536/23.7 536/24.1 536/24.2 536/24.32. C12P021/06 .

[Generate Collection](#)

[Print](#)

Term	Documents
PLASMID	93123
PLASMIDS	71059
VECTOR	273384
VECTORS	172511
PROMOTER	117766
PROMOTERS	92963
(3 AND ((PLASMID OR PROMOTER OR VECTOR).CLM.)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	44
(L3 AND (PLASMID OR VECTOR OR PROMOTER).CLM.)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	44

[Prev Page](#) [Next Page](#) [Go to Doc#](#)

 [ExPASy Home page](#) [Site Map](#) [Search ExPASy](#) [Contact us](#) [Swiss-Prot](#) [Proteomics tools](#)

Search for

=====

Welcome to the SIB BLAST Network Service

If results of this search are reported or published, please mention that the computation was performed at the SIB using the BLAST network service. The SIB BLAST network service uses a server developed at SIB and the BLAST 2 software.

In case of problems, please read the online BLAST help.
If your question is not covered, please contact <helpdesk@expasy.org>

NCBI BLAST program reference [PMID:9254694]:
Altschul S.F., Madden T.L., Schäffer A.A., Zhang J., Zhang Z., Miller W., Lipman D.J. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. Nucleic Acids Res. 25:3389-3402(1997).

=====

Query: 20 AA

Date run: 2006-11-21 18:56:53 UTC+0100 on blast01.vital-it.ch

Program: NCBI BLASTP 2.2.13 [Nov-27-2005]

Database: UniProtKB

3,626,539 sequences; 1,190,562,186 total letters

UniProt Knowledgebase Release 9.1 consists of:

UniProtKB/Swiss-Prot Release 51.1 of 14-Nov-2006: 241365 entries

UniProtKB/TrEMBL Release 34.1 of 14-Nov-2006: 3368791 entries

[Taxonomic view](#)

[NiceBlast view](#)

[Printable view](#)

List of potentially matching sequences

Send selected sequences to

☐ Include query sequence

Db	AC	Description
----	----	-------------

<input type="checkbox"/>	sp Q9Z813	PMP19_CHLPN Probable outer membrane protein pmp19 prec.
--------------------------	-----------	---------------------------------------------------------

<input type="checkbox"/>	tr Q6D5L0	_ERWCT Nitrite extrusion protein [narK] [Erwinia caroto]
--------------------------	-----------	----------------------------------------------------------

☐ tr Q9B8G2 _9NEOP NADH dehydrogenase subunit 5 [nad5] [Heterodoxus

Graphical overview of the alignments

[Click here](#)

to resubmit your query after masking regions matching PROSITE profiles or Pfam HMMs

([?](#) Help) (use ScanProsite for more details about PROSITE matches)

Profile hits

Pfam hits

Matches on query sequence

Submission

1

PMP19_CHLPN
Q6D5L0_ERWCT
Q9B8G2_9NEOP

Submission

1

Identity

0 25 50 75 100%

Alignments

sp Q9Z813 Probable outer membrane protein pmp19 precursor 947
PMP19_CHLPN (Polymorphic AA
membrane protein 19) [pmp19] [Chlamydia pneumoniae align
(Chlamydophila pneumoniae)]

Score = 66.8 bits (150), Expect = 9e-11

Identities = 19/20 (95%), Positives = 19/20 (95%)

Query: 1 MKQMRLWGFLFLSSFCQVSY 20

MKQMRLWGFLFLSSFCQVSY

Sbjct: 1 MKQMRLWGFLFLSSFCQVSY 20

tr Q6D5L0 Nitrite extrusion protein [narK] [Erwinia carotovora 462
Q6D5L0_ERWCT subsp. AA
atroseptica (Pectobacterium atrosepticum)] aliq

Score = 33.7 bits (72), Expect = 0.81

Identities = 10/17 (58%), Positives = 12/17 (70%), Gaps = 2/17 (11

Query: 1 MKQMRLW--GFLFLSSF 15

+KQM LW FL+LS F

Sbjct: 251 LKQMHLWVLSFLYLSTF 267

tr Q9B8G2	NADH dehydrogenase subunit 5 [nad5] [Heterodoxus	557
Q9B8G2_9NEOP	macropus (wallaby	AA
	louse)]	align

Score = 32.5 bits (69), Expect = 2.0
Identities = 10/13 (76%), Positives = 10/13 (76%)

Query: 3 QMRLWGFLFLSSF 15
QM L GFLFLS F
Sbjct: 338 QMSLSGFLFLSGF 350

Database: UniProtKB

Posted date: Nov 13, 2006 2:29 PM
Number of letters in database: 997,022,092
Number of sequences in database: 2,977,730

Database: /home/local/blastnet/database/EXPASY////UniProtKB.01
Posted date: Nov 13, 2006 2:31 PM
Number of letters in database: 193,540,094
Number of sequences in database: 648,809

Lambda	K	H
0.341	0.278	2.07

Gapped

Lambda	K	H
0.294	0.110	0.610

Matrix: PAM30

Gap Penalties: Existence: 9, Extension: 1
Number of Hits to DB: 12,644,532
Number of Sequences: 3626539
Number of extensions: 63252
Number of successful extensions: 3018
Number of sequences better than 10.0: 3
Number of HSP's better than 10.0 without gapping: 2
Number of HSP's successfully gapped in prelim test: 1
Number of HSP's that attempted gapping in prelim test: 3016
Number of HSP's gapped (non-prelim): 3
length of query: 20
length of database: 1,190,562,186

effective HSP length: 10
effective length of query: 10
effective length of database: 1,154,296,796
effective search space: 11542967960
effective search space used: 11542967960
T: 16
A: 15
X1: 15 (7.4 bits)
X2: 35 (14.8 bits)
X3: 58 (24.6 bits)
S1: 40 (21.5 bits)
S2: 64 (30.3 bits)
Wallclock time: 5 seconds



[ExPASy Home page](#) [Site Map](#) [Search ExPASy](#) [Contact us](#) [Swiss-Prot](#) [Proteomics tools](#)

[ExPASy Home page](#)[Site Map](#)[Search ExPASy](#)[Contact us](#)[Swiss-Prot](#)Search for [Printer-friendly view](#)

UniProtKB/Swiss-Prot entry Q9Z813

[Submit update](#)[Quick BlastP search](#)[Entry history](#)

[\[Entry info\]](#) [\[Name and origin\]](#) [\[References\]](#) [\[Comments\]](#) [\[Cross-references\]](#)
[\[Keywords\]](#) [\[Features\]](#) [\[Sequence\]](#) [\[Tools\]](#)

Note: most headings are clickable, even if they don't appear as links. They link to the user manual or other documents.

Entry information

Entry name	PMP19_CHLPN
Primary accession number	Q9Z813
Secondary accession number	Q9JSE2
Integrated into Swiss-Prot on	June 1, 2001
Sequence was last modified on	May 1, 1999 (Sequence version 1)
Annotations were last modified on	October 31, 2006 (Entry version 55)

Name and origin of the protein

Protein name	Probable outer membrane protein pmp19 [Precursor		
Synonym	Polymorphic membrane protein 19		
Gene name	Name: pmp19		
From	OrderedLocusNames: CPn_0539, CP_0213, CpB0560		
Taxonomy	Chlamydia pneumoniae [TaxID: 83558]	[HAMAP proteome	
	Bacteria; Chlamydiae; Chlamydiales; Chlamydiaceae; Chlamydomphila.		

References

[1] NUCLEOTIDE SEQUENCE [LARGE SCALE GENOMIC DNA].

STRAIN=CWL029;

DOI=10.1038/7716; PubMed=10192388 [NCBI, ExPASy, EBI, Israel, Japan]

Kalman S., Mitchell W.P., Marathe R., Lammel C.J., Fan J., Hyman R.W., Olinger L., Grim J., Davis R.W., Stephens R.S.;

"Comparative genomes of Chlamydia pneumoniae and C. trachomatis.";

Nat. Genet. 21:385-389(1999).

[2] NUCLEOTIDE SEQUENCE [LARGE SCALE GENOMIC DNA].

STRAIN=AR39;

DOI=10.1093/nar/28.6.1397; PubMed=10684935 [NCBI, ExPASy, EBI, Israel, Japan]

Read T.D., Brunham R.C., Shen C., Gill S.R., Heidelberg J.F., White O., Hickey E.K., Petri

J.D., Utterback T.R., Berry K.J., Bass S., Linher K.D., Weidman J.F., Khouri H.M., Craven Bowman C., Dodson R.J., Gwinn M.L., Nelson W.C., , Fraser C.M.;

"Genome sequences of Chlamydia trachomatis MoPn and Chlamydia pneumoniae AR39. Nucleic Acids Res. 28:1397-1406(2000).

[3] NUCLEOTIDE SEQUENCE [LARGE SCALE GENOMIC DNA].

STRAIN=J138;

DOI=10.1093/nar/28.12.2311; PubMed=10871362 [NCBI, ExPASy, EBI, Israel, Japan]

Shirai M., Hirakawa H., Kimoto M., Tabuchi M., Kishi F., Ouchi K., Shiba T., Ishii K., Hatto Kuhara S., Nakazawa T.;

"Comparison of whole genome sequences of Chlamydia pneumoniae J138 from Japan ar CWL029 from USA.";

Nucleic Acids Res. 28:2311-2314(2000).

[4] NUCLEOTIDE SEQUENCE [GENOMIC DNA].

STRAIN=J138;

DOI=10.1086/315616; PubMed=10839753 [NCBI, ExPASy, EBI, Israel, Japan]

Shirai M., Hirakawa H., Ouchi K., Tabuchi M., Kishi F., Kimoto M., Takeuchi H., Nishida J. Shibata K., Fujinaga R., Yoneda H., Matsushima H., Tanaka C., Furukawa S., Miura K., Nakazawa A., Ishii K., Shiba T., Hattori M., Kuhara S., Nakazawa T.;

"Comparison of outer membrane protein genes omp and pmp in the whole genome seque of Chlamydia pneumoniae isolates from Japan and the United States.";

J. Infect. Dis. 181 Suppl 3:S524-S527(2000).

[5] NUCLEOTIDE SEQUENCE [LARGE SCALE GENOMIC DNA].

STRAIN=TW-183;

Geng M.M., Schuhmacher A., Muehldorfer I., Bensch K.W., Schaefer K.P., Schneider S., T., Essig A., Marre R., Melchers K.;

"The genome sequence of Chlamydia pneumoniae TW183 and comparison with other Chlamydia strains based on whole genome sequence analysis.";

Submitted (MAY-2002) to the EMBL/GenBank/DDBJ databases.

Comments

- **SUBCELLULAR LOCATION:** Cell wall; extracellular side (*Potential*).
- **DEVELOPMENTAL STAGE:** Elementary body (*Potential*).
- **SIMILARITY:** Belongs to the PMP outer membrane protein family.
- **SIMILARITY:** Contains 1 autotransporter (TC 1.B.12) domain [view classification].

Copyright

Copyrighted by the UniProt Consortium, see <http://www.uniprot.org/terms>. Distributed under the Creative Commons Attribution-NoDerivs License.

Cross-references

Sequence databases

EMBL	AE001363; AAD18679.1; -;	[EMBL / GenBank / DDBJ]
	Genomic_DNA.	[CoDingSequence]
	AE002161; AAF38083.1; -;	[EMBL / GenBank / DDBJ]
	Genomic_DNA.	[CoDingSequence]
	BA000008; BAA98745.1; -;	[EMBL / GenBank / DDBJ]
	Genomic_DNA.	[CoDingSequence]
	AE017159; AAP98489.1; -;	[EMBL / GenBank / DDBJ]
	Genomic_DNA.	[CoDingSequence]
	D72067; D72067.	

PIR G86557; G86557.

3D structure databases

HSSP Q90121; 1KPT. [HSSP ENTRY / PDB]

ModBase Q9Z813.

Protein-protein interaction databases

DIP Q9Z813.

Enzyme and pathway databases

BioCyc CPNE115711:CP0213-MONOMER; -.
 CPNE115713:CPN0539-MONOMER; -.
 CPNE182082:CPB0560-MONOMER; -.

Organism-specific gene databases

HOGENOM [Family / Alignment / Tree]

Family and domain databases

InterPro IPR005546; Auto_transptbeta.
 IPR011427; ChlamPMP_M.
 IPR003368; Chlamydia_PMP.
 Graphical view of domain structure.

Pfam PF03797; Autotransporter; 1.
 PF02415; Chlam_PMP; 10.
 PF07548; ChlamPMP_M; 1.
 Pfam graphical view of domain structure.

TIGRFAMs TIGR01376; POMP_repeat; 5.

PROSITE PS51208; AUTOTRANSPORTER; 1.
 PROSITE graphical view of domain structure (profiles).

ProDom [Domain structure / List of seq. sharing at least 1 domain]

BLOCKS Q9Z813.

Genome annotation databases

GenomeReviews AE002161_GR; CP_0213.
 AE009440_GR; CpB0560.
 AE001363_GR; CPn_0539.
 BA000008_GR; pmp19.

KEGG cpa:CP0213; -.
 cpj:CPj0539; -.
 cpn:CPn0539; -.
 cpt:CpB0560; -.

TIGR CP_0213; -.

Other


ProtoNet Q9Z813.

UniRef View cluster of proteins with at least 50% / 90% / 100% identity.


Keywords

Complete proteome; Membrane; Outer membrane; Signal.

Features



Feature table viewer



Feature aligner

Key	From	To	Length	Description	FTId
SIGNAL	1	19	19	Potential.	
CHAIN	20	947	928	Probable outer membrane protein pmp19. PRO_000002474	
DOMAIN	672	947	276	Autotransporter.	
CONFLICT	453	453		E -> D (in Ref. 3).	

Sequence information

Length: **947 AA** [This is the length of the unprocessed precursor]

Molecular weight: **103643 Da** [This is the MW of the unprocessed precursor]

CRC64: **20CE1DEEE1606DFF** is a checksum on the sequence

```

      10      20      30      40      50      60
MKQMRLWGFL FLSSFCQVS Y L R A N D V L L P L S G I H S G E D L E L F T L R S S S P T K T T Y S L R K D F

      70      80      90     100     110     120
I V C D F A G N S I H K P G A A F L N L K G D L F F I N S T P L A A L T F K N I H L G A R G A G L F S E S N V T F K G L

     130     140     150     160     170     180
H S L V L E N N E S W G G V L T T S G D L S F I N N T S V L C Q N N I S Y G P G G A L L L Q G R K S K A L F F R D N R G

     190     200     210     220     230     240
T I L F L K N K A V N Q D E S H P G Y G G A V S S I S P G S P I T F A D N Q E I L F Q E N E G E L G G A I Y N D Q G A I

     250     260     270     280     290     300
T F E N N F Q T T S F F S N K A S F G G A V Y S R Y C N L Y S Q W G D T L F T K N A A A K V G G A I H A D Y V H I R D C

     310     320     330     340     350     360
K G S I V F E E N S A T A G G A I A V N A V C D I N A Q G P V R F I N N S A L G L N G G A I Y M Q A T G S I L R L H A N

     370     380     390     400     410     420
Q G D I E F C G N K V R S Q F H S H I N S T S N F T N N A I T I Q G A P R E F S L S A N E G H R I C F Y D P I I S A T E

     430     440     450     460     470     480
N Y N S L Y I N H Q R L L E A G G A V I F S G A R L S P E H K K E N K N K T S I I N Q P V R L C S G V L S I E G G A I L

     490     500     510     520     530     540
A V R S F Y Q E G G L L A L G P G S K L T T Q G K N S E K D K I V I T N L G F N L E N L D S S D P A E I R A T E K A S I

     550     560     570     580     590     600
E I S G V P R V Y G H T E S F Y E N H E Y A S K P Y T T S I I L S A K K L V T A P S R P E K D I Q N L I I A E S E Y M G

     610     620     630     640     650     660
Y G Y Q G S W E F S W S P N D T K E K K T I I A S W T P T G E F S L D P K R R G S F I P T T L W S T F S G L N I A S N I

     670     680     690     700     710     720
V N N N Y L N N S E V I P L Q H L C V F G G P V Y Q I M E Q N P K Q S S N N L L V Q H A G H N V G A R I P F S F N T I L

```

```

      730      740      750      760      770      780
SAALTQLFSS SSQQNVADKS HAQILIGTVS LNKSQWALS L RSSFSYTEDS QVMKHVFPYK

      790      800      810      820      830      840
GTSRGSWRNY GWSGSVGMSY AYPKGIRYLK MTPFVDLQYT KLVQNPFVET GYDPRYFSSS

      850      860      870      880      890      900
EMTNLSLPIG IALEMRFIGS RSSLFLQVST SYIKDLRRVN PQSSASLVLN HYTWDIQGVF

      910      920      930      940
LGKEALNITL NSTIKYKIVT AYMGISSTQR EGSNLSANAH AGLSLSF

```

Q9Z813
in
Fasta
format

View entry in original UniProtKB/Swiss-Prot format

View entry in raw text format (no links)

Report form for errors/updates in this UniProtKB/Swiss-Prot entry

BLAST

BLAST submission on
ExPASy/SIB
or at NCBI (USA)



Sequence analysis tools: ProtParam,
ProtScale, Compute pI/Mw, PeptideMass,
PeptideCutter, Dotlet (Java)



ScanProsite, MotifScan



Submit a homology modeling request to
SWISS-MODEL



NPSA Sequence
analysis tools




ExPASy Home page

Site Map

Search ExPASy

Contact us

Swiss-Prot

Hosted by  SIB Switzerland Mirror sites: Australia Brazil Canada China Korea

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Tuesday, November 21, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L1	5,919,663.pn.	1
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L2	momp.clm.	34
<input type="checkbox"/>	L3	momp\$2.clm.	36
<input type="checkbox"/>	L4	L3 and recombinant\$.clm.	6

END OF SEARCH HISTORY

Infect Immun. 2001 Apr;69(4):2428-34.



Full Text
Infect Immun

FREE

FREE full text article
in PubMed Central

Links

**Identification of polymorphic outer membrane proteins of
Chlamydia psittaci 6BC.**

Tanzer RJ, Longbottom D, Hatch TP.

Department of Molecular Sciences, University of Tennessee Center for Health Sciences, Memphis, Tennessee 38163, USA.

The genomes of *Chlamydia* spp. encode a family of putative outer membrane proteins, referred to as polymorphic outer membrane proteins (POMPs), which may play a role in the avoidance of host immune defenses. We analyzed avian strain 6BC of *Chlamydia psittaci* by polyacrylamide gel electrophoresis for the expression of POMPs. At least six putative POMPs were identified on the basis of their size (90 to 110 kDa) and labeling with an outer membrane-specific probe, 3-(trifluoromethyl)-3-(m-[¹²⁵I]iodophenyl)diazirine. Three of the putative POMPs reacted with antiserum raised against a recombinant ovine *C. psittaci* strain POMP, and two possessed surface-exposed, trypsin-sensitive sites. The POMPs were dependent on disulfide bonds for their maintenance in sodium lauryl sarcosine- and sodium dodecyl sulfate-insoluble complexes but did not appear to be interpeptide disulfide bond cross-linked. The putative POMPs were found to be synthesized during the late phase of the chlamydial developmental cycle, cotemporally with the cysteine-rich doublet periplasmic proteins.

PMID: 11254603 [PubMed - indexed for MEDLINE]

Vaccine. 2004 Oct 22;22(31-32):4306-15.

ELSEVIER
FULL-TEXT ARTICLE

Links

Intranasal immunization with *C. muridarum* major outer membrane protein (MOMP) and cholera toxin elicits local production of neutralising IgA in the prostate.

Hickey DK, Jones RC, Bao S, Blake AE, Skelding KA, Berry LJ, Beagley KW.

Discipline of Immunology and Microbiology, School of Biomedical Sciences, Faculty of Health, The University of Newcastle, Callaghan, NSW 2308, Australia.

Successful control of sexually transmitted diseases (STDs) through vaccination will require the development of vaccine strategies that target protective immunity to both the female and male reproductive tracts (MRT). In the male, the immune privileged nature of the male reproductive tract provides a barrier to entry of serum immunoglobulins into the male reproductive ducts, thereby preventing the induction of protective immunity using conventional injectable vaccination techniques. In this study we investigated the potential of intranasal (IN) immunization to elicit anti-chlamydial immunity in BALB/c male mice. Intranasal immunization with *Chlamydia muridarum* major outer membrane protein (MOMP) admixed with cholera toxin (CT) resulted in high levels of MOMP-specific IgA in prostatic fluids (PF) and MOMP-specific IgA-secreting cells in the prostate. Prostatic fluid IgA inhibited in vitro infection of McCoy cells with *C. muridarum*. Using RT-PCR we also show that mRNA for the polymeric immunoglobulin receptor (PIgR), which transports IgA across mucosal epithelia, is expressed only in the prostate but not in other regions of the male reproductive ducts upstream of the prostate. These data suggest that using intranasal immunization to target IgA to the prostate may protect males against STDs while at the same time maintaining the state of immune privilege within the MRT.

PMID: 15474723 [PubMed - indexed for MEDLINE]

: Mol Microbiol. 2001 Feb;39(3):792-800.



[Links](#)

Secretion of predicted Inc proteins of *Chlamydia pneumoniae* by a heterologous type III machinery.

Subtil A, Parsot C, Dautry-Varsat A.

Unite de Biologie des Interactions Cellulaires, URA CNRS 1960,
Institut Pasteur, 25 rue du Docteur Roux, 75724 Paris Cedex 15,
France. asubtil@pasteur.fr

Chlamydia spp. are strictly intracellular pathogens that grow inside a vacuole, called an inclusion. They possess genes encoding proteins homologous to components of type III secretion machineries, which, in other bacterial pathogens, are involved in delivery of bacterial proteins within or through the membrane of eukaryotic host cells. Inc proteins are chlamydial proteins that are associated with the inclusion membrane and are characterized by the presence of a large hydrophobic domain in their amino acid sequence. To investigate whether Inc proteins and other proteins exhibiting a similar hydrophobic profile might be secreted by a type III system, we used a heterologous secretion system. Chimeras were constructed by fusing the N-terminal part of these proteins with a reporter, the Cya protein of *Bordetella pertussis*, and these were expressed in various strains of *Shigella flexneri*. We demonstrate that these hybrid proteins are secreted by the type III secretion system of *S. flexneri*, thereby providing evidence that IncA, IncB and IncC are secreted by a type III mechanism in chlamydiae. Moreover, we show that three other proteins from *Chlamydia pneumoniae*, all of which have in common the presence of a large hydrophobic domain, are also secreted by *S. flexneri* type III secretion machinery.

PMID: 11169118 [PubMed - indexed for MEDLINE]

Cell Microbiol. 2000 Feb;2(1):35-47.



Links

A secondary structure motif predictive of protein localization to the chlamydial inclusion membrane.

Bannantine JP, Griffiths RS, Viratyosin W, Brown WJ, Rockey DD.

Department of Microbiology, Oregon State University, Corvallis 97331-3804, USA.

Chlamydiae are obligate intracellular pathogens that spend their entire growth phase sequestered in a membrane-bound vacuole called an inclusion. A set of chlamydial proteins, labelled Inc proteins, has been identified in the inclusion membrane (IM). The predicted IncA, IncB and IncC amino acid sequences share very limited similarity, but a common hydrophobicity motif is present within each Inc protein. In an effort to identify a relatively complete catalogue of Chlamydia trachomatis proteins present in the IM of infected cells, we have screened the genome for open reading frames encoding this structural motif. Hydropathy plot analysis was used to screen each translated open reading frame in the C. trachomatis genome database. Forty-six candidate IM proteins (C-Incs) that satisfied the criteria of containing a bilobed hydrophobic domain of at least 50 amino acids were identified. The genome of Chlamydia pneumoniae encodes a larger collection of C-Inc proteins, and only approximately half of the C-Incs are encoded within both genomes. In order to confirm the hydropathy plot screening method as a valid predictor of C-Incs, antisera and/or monoclonal antibodies were prepared against six of the C. trachomatis C-Incs. Immunofluorescence microscopy of C. trachomatis-infected cells probed with these antibodies showed that five out of six C-Incs are present in the chlamydial IM. Antisera were also produced against C. pneumoniae p186, a protein sharing identity with Chlamydia psittaci IncA and carrying a similar bilobed hydrophobic domain. These antisera labelled the inclusion membrane in C. pneumoniae infected cells, confirming that proteins sharing the unique secondary structural characteristic also localize to the inclusion membrane of C. pneumoniae. Sera from patients with high-titre antibodies to C. trachomatis were examined for reactivity with each tested C-Inc protein. Three out of six tested C-Incs were recognized by a majority of these patient sera. Collectively, these studies identify and characterize novel proteins localized to the chlamydial IM and demonstrate the existence of a potential secondary structural targeting motif for localization of chlamydial proteins to this unique intracellular environment.

PMID: 11207561 [PubMed - indexed for MEDLINE]